


# STEEL FIX C-STAHl

CP420 C-Steel press-elbow 90° 15

54615BB0

## Areas of application



Press-elbow 90°, made of carbon steel coated with a zinc layer, incl. EPDM sealing elements, d15-54 "not pressed, not sealed"

Press contour: M

# Specifications

## Article information


|               |            |
|---------------|------------|
| port 1        | Pressmuffe |
| port 2        | Pressmuffe |
| execution     | 1-teilig   |
| angle         | 90 °       |
| press contour | M          |

## Technical properties

|                                    |        |
|------------------------------------|--------|
| maximum working pressure at 20 ° C | 16 bar |
|------------------------------------|--------|

## Product information

|                     |                         |
|---------------------|-------------------------|
| VPE1                | 10 SA1                  |
| VPE2                | 150 KT1                 |
| VPE3                | 3750 DDP                |
| weight              | 0,046 KGM               |
| text                | C-Steel press-elbow 90° |
| INTRNR              | 73079980                |
| main material group | STEELFIX                |
| material group      | C-STAHL pressfittings   |
| code                | CP420                   |



| Art. No  | label | d1 mm | d2 mm | L1 mm | L2 mm | z1 mm | z2 mm |
|----------|-------|-------|-------|-------|-------|-------|-------|
| 54615BB0 | 15    | 15    | 15    | 41    | 41    | 21    | 21    |