


STEEL FIX C-STAHl

CP450 C-Steel press-adaptor male 54x2"

54702H09

Areas of application



Press-adaptor with male thread conforming to EN 10226-1 made of C-steel coated with a zinc layer, incl. EPDM sealing components, d15-54 "leak before pressed"

Press contour:M

Specifications

Article information

| | |
|---------------|----------------------------|
| port 1 | Pressmuffe |
| port 2 | Außengewinde konisch (NPT) |
| execution | 1-teilig |
| design | gerade |
| press contour | M |

Technical properties

| | |
|------------------------------------|--------|
| maximum working pressure at 20 ° C | 16 bar |
|------------------------------------|--------|

Product information

| | |
|---------------------|----------------------------|
| VPE1 | 4 SA1 |
| VPE2 | 12 KT1 |
| VPE3 | 300 DDP |
| weight | 0,381 KGM |
| text | C-Steel press-adaptor male |
| INTRNR | 73079980 |
| main material group | STEELFIX |
| material group | C-STAHL pressfittings |
| code | CP450 |



| Art. No | label | d2 | d1 mm | L1 mm | L2 mm | z1 mm | slw2 mm |
|----------|-------|-------------|-------|-------|-------|-------|---------|
| 54702H09 | 54x2" | 2 Zoll (50) | 54 | 41 | 28 | 6 | 81 |