

# STEEL FIX C-STAHl

CP455V ?Spare VITON seal for Steelfix and Copperfix system parts 28x5/4"

54703E062

## Areas of application



?Spare VITON (FKM) seal, high-temperature-resistant up to 200°C, for compressed air systems based on mineral or plant-based oils, greases and industrial applications, for Steelfix system press components CP451, NP451, CP455, NP455 and CP466 and Copperfix system press components COF455 and COF456

# Specifications

Product information	
VPE1	20 SA1
VPE2	400 KT1
weight	0,008 KGM
text	?Spare VITON seal for Steelfix and Copperfix system parts
INTRNR	40169300
main material group	STEELFIX
material group	C-STAHl pressfittings
code	CP455V



$d_i$



$d$



**KE KELIT GmbH**  
A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe  
**PHONE** +43 (0) 50 779 **E-MAIL** office@kekelit.com  
www.kekelit.com

Art. No	label
54703E062	28x5/4"



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

**PHONE** +43 (0) 50 779 **E-MAIL** [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)