


# STEEL FIX EDELSTAHL

NP415 STEELFIX stainless steel press-fit repair coupling 54

53605HH0

## Areas of application



Press-fit repair coupling straight made of stainless steel 1.4404, incl. EPDM sealing components, d15-54 "leak before pressed"

Press contour: M

## Approvals:



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 E-MAIL [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

# Specifications

## Article information


port 1	Pressmuffe
port 2	Pressmuffe
execution	1-part
design	gerade
press contour	M

## Technical properties

insertion depth 1 (es1)	40 mm
-------------------------	-------

## Product information

VPE1	2,00 SA1
VPE2	8,00 KT1
VPE3	200,00 DDP
weight	0,368 KGM
text	STEELFIX stainless steel press-fit repair coupling
INTRNR	73072980
material group	EDELSTAHL pressfittings
code	NP415



Art. No	label	d1 mm	d2 mm	L1 mm	L2 mm	insertion depth 1 (es1) mm	Insertion depth 2 (es2) mm
53605HH0	54	54	54	70	70	40	40