

STEEL FIX EDELSTAHL

NP447 STEELFIX stainless steel press-fit-tee
with branch female 28x1/2"

53740E02

Areas of application



Press-tee with threaded branch female made of stainless steel 1.4404, incl. EPDM sealing elements,
d15-54 "leak before pressed"

Press contour: M

Approvals:



Specifications

Article information

| | |
|---------------|----------------------------|
| port 1 | Pressmuffe |
| port 2 | Innengewinde konisch (NPT) |
| port 3 | Pressmuffe |
| execution | T-Stück |
| press contour | M |

Technical properties

| | |
|------------------------------------|--------|
| maximum working pressure at 20 ° C | 16 bar |
|------------------------------------|--------|

Product information

| | |
|----------------|---|
| VPE1 | 5,00 SA1 |
| VPE2 | 30,00 KT1 |
| VPE3 | 750,00 DDP |
| weight | 0,158 KGM |
| text | STEELFIX stainless steel press-fit-tee with branch female |
| INTRNR | 73072980 |
| material group | EDELSTAHL pressfittings |
| code | NP447 |



| Art. No | label | d2 Inches | d1 mm | d3 mm | L1 mm | L2 mm | L3 mm | z1 mm | z2 mm | z3 mm | slw1 mm |
|---------|---------|--------------|-------|-------|-------|-------|-------|-------|-------|-------|---------|
| 53740E0 | 28x1/2" | 1/2" (15) | 28 | 28 | 44,5 | 40 | 44,5 | 21,5 | 24 | 21,5 | 27 |