


# KELIT PEX

## KELIT QUATTRO-PEX Pipe H:2x32/S:32+20

3041222

### Areas of application



Heating media pipe made from cross-linked polyethylene and coloured O<sub>2</sub> diffusion layer

Area of application: PN12.5/20°C - PN6/80°C - t<sub>max</sub> 95°C

Sanitary media pipe made from cross-linked polyethylene

Area of application: PN16/20°C - PN10/80°C - t<sub>max</sub> 95°C

Heat insulation: PUR foam complying with EN 15632, flexible, closed-cell, CFC-free

Jacket pipe: corrugated PE-LD pipe, seamlessly extruded, long-term-protected against UV radiation.

# Specifications

## Product information

text

KELIT QUATTRO-PEX Pipe




**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

**PHONE** +43 (0) 50 779 **E-MAIL** [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

da



Art. No	label
3041222	H:2x32/S:32+20



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

**PHONE** +43 (0) 50 779 **E-MAIL** [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)