


# KELOX<sub>FB</sub>

KM638 KELOX FB hollow chamber plate 3mm  
1000x2400mm

6060630

## Areas of application



Polypropylene hollow chamber plate, for stapling and fastening the KELOX-ULTRAX FB and ULTRA PE-RT pipes on approved insulation layers installed on site using KM611 staples, grid markers at 5cm increments, processing using standard cutting tools, can be adhered using KM632F adhesive tape and WZ950 unwinder

Building material class according to DIN 4102: B2

Dimensions: 2.4 x 1.0m (folded: 1.0 x 1.2m)

Thickness: 3mm

In packs of 10, each 24m<sup>2</sup>

ATTENTION: Protect from direct sunlight, do not store outdoors!



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

**PHONE** +43 (0) 50 779 **E-MAIL** [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

# Specifications

Product information	
VPE1	24,00 SA1
VPE2	432,00 PAL
weight	1,080 KGM
text	KELOX FB hollow chamber plate
INTRNR	39202080
code	KM638

Art. No	label
6060630	3mm 1000x2400mm