


KELEN

KE70-LX4 KELEN PP-RCT LX-SENSO elbow 45° 20

2511541

Areas of application



KELEN PP-RCT SENSO Polyfusion welding fitting for connecting pipes with fittings made of the same material (no reduction of internal diameter) and a factory-installed 4mm soft-foam insulation, can be located electronically, outer layer consisting of woven tape fabric and viscoplastic polymer alloy

Approvals:



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 **E-MAIL** office@kekelit.com

www.kekelit.com

Specifications

Article information


port 1	Kunststoffschweißmuffe
port 2	Kunststoffschweißmuffe
design	Bogen
angle	45 °

Technical properties

isolation thickness	4 mm
---------------------	------

Product information

VPE1	10,00 SA1
VPE2	100,00 KT1
VPE3	600,00 KT2
VPE4	9600,00 PAL
weight	0,018 KGM
text	KELEN PP-RCT LX-SENSO elbow 45°
INTRNR	39174000
main material group	KELEN
material group	KELEN-LX fittings
code	KE70-LX4



Art. No	label	d1 mm	d2 mm	L1 mm	L2 mm	z1 mm	z2 mm
2511541	20	20	20	22	22	4	4