


STEEL FIX EDELSTAHL

NF130 STEELFIX stainless steel pipe 1.4301
108x2.0

53031L00

Areas of application



Thin-walled, longitudinally welded 1.4301 stainless steel pipes according to EN 10088, EN 10312 and EN 10217-7 outside and inside bare metal

Rod length: 6m

Areas of application:

Heating or cooling water systems (only in connection with stainless steel fittings):

if necessary, observe corrosion protection measures!

d15 - 108 mm - 35°C to 120°C - tmax 150°C/16 bar - briefly

Compressed air systems (in conjunction with press fittings ONLY):



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 E-MAIL office@kekelit.com

www.kekelit.com

d15 - 54 mm - max. 16 bar

d76 - 108 mm - max. 10 bar

ATTENTION: NOT suitable for drinking water!



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 **E-MAIL** office@kekelit.com

www.kekelit.com

Specifications

Article information

port 1	Rohrende
--------	----------

Technical properties

pipe weight	5,05 kg/m
-------------	-----------

pipe contents	8,495 l/m
---------------	-----------

PN	PN 16
----	-------

Product information

VPE1	78,00 BND
------	-----------

L	6 m
---	-----


weight	5,320 KGM
--------	-----------

text	STEELFIX stainless steel pipe 1.4301
------	--------------------------------------

INTRNR	73064020
--------	----------

material group	EDELSTAHL pipes
----------------	-----------------

code	NF130
------	-------



Art. No	label	d1 mm	pipe contents l/m	s mm
53031L00	108x2.0	108	8,495	2