


CLIMATE FIX

KCLC1 CLIMATEFIX ceiling cooling and heating module on construction steel grid 2.3x2.2

6355200

Areas of application



CLIMATEFIX ceiling cooling and heating module incl. KELOX-ULTRAX composite pipes d16x2mm, oxygen-tight acc. to ÖNORM EN 21003, factory-pre-installed on galvanised construction steel grid

Pipeline spacing: 100mm

Pipeline length: approx. 10m/m²

Application area - pipe: tmax 70°C/10 bar

Application area - module: tmax 60°C

Special sizes at additional cost on request.

The modules are manufactured for the respective project - NO return possible!



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 **E-MAIL** office@kekelit.com

www.kekelit.com

Specifications

| Product information | |
|---------------------|--|
| VPE1 | 1,00 STK |
| weight | 17,700 KGM |
| text | CLIMATEFIX ceiling cooling and heating module on construction steel grid |
| INTRNR | 73142090 |
| main material group | CLIMATEFIX |
| material group | CLIMATEFIX module |
| code | KCLC1 |

| Art. No | label |
|---------|---------|
| 6355200 | 2.3x2.2 |