

KELOX^{FB}

KM696G KELOX Comfort room thermostat, digital
86x86x31mm

5882090

Areas of application



Surface-mount room thermostat with backlit display for controlling 1 to 5 230V thermal motors (maximum of 3 W per thermal motor), for heating and cooling with changeover input

Operating voltage: 230V AC 50 Hz

Hysteresis: +/- 0.5 K at 17-24°C

Contact: 1 NCC

Setting range: 5°C - 30°C

Protection type/class: IP 20

Size: 86x86x31mm

Colour: white (RAL 9003)



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 E-MAIL office@kekelit.com

www.kekelit.com

Compatible with KM691 connection unit!

ATTENTION: Only in conjunction with KM596 KELOX thermal motor 230V!



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 **E-MAIL** office@kekelit.com

www.kekelit.com

Specifications

| Product information | |
|---------------------|--|
| VPE1 | 1,00 KT1 |
| weight | 0,500 KGM |
| text | KELOX Comfort room thermostat, digital |
| INTRNR | 90321020 |
| code | KM696G |

| Art. No | label |
|---------|------------|
| 5882090 | 86x86x31mm |