

# STEEL FIX EDELSTAHL

NPI440 STEELFIX industrial stainless steel press-fit-tee 22/15/22

53330DBD

## Areas of application



Press-tee equal or reduced made of stainless steel 1.4301, incl. EPDM sealing elements, d15-54  
"leak before pressed"

Press contour: M

ATTENTION: NOT suitable for drinking water!

# Specifications

## Article information

|               |            |
|---------------|------------|
| port 1        | Pressmuffe |
| port 2        | Pressmuffe |
| port 3        | Pressmuffe |
| execution     | T-Stück    |
| press contour | M          |

## Technical properties

|                                    |        |
|------------------------------------|--------|
| maximum working pressure at 20 ° C | 16 bar |
|------------------------------------|--------|

## Product information

|        |   |
|--------|---|
| VPE1   | 10,00 SA1   |
| VPE2   | 50,00 KT1   |
| VPE3   | 1250,00 PAL                                       |
| weight | 0,100 KGM   |
| text   | STEELFIX industrial stainless steel press-fit-tee |
| INTRNR | 73072980  |
| code   | NPI440  |



| Art. No  | label    | d1 mm | d2 mm | d3 mm | L1 mm | L2 mm | L3 mm | z1 mm | z2 mm | z3 mm |
|----------|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 53330DBI | 22/15/22 | 22    | 15    | 22    | 39,5  | 42,5  | 39,5  | 18,5  | 22,5  | 18,5  |