

KELOX

KMU447 KELOX-ULTRAX adapter tee female 75x1"

71240J05

Areas of application



Press tee with female thread adapter, made of non-porous metallised brass; including support sleeves with O-rings and stainless steel press-fit sleeves; "leak before pressed"
DO NOT screw in any threaded pipes and cast iron fittings!

Approvals:



Specifications

Article information

| | |
|---------------|----------------------------|
| port 1 | Pressmuffe |
| port 2 | Innengewinde konisch (NPT) |
| port 3 | Pressmuffe |
| execution | T-Stück |
| angle | 90 ° |
| press contour | U |

Technical properties

| | |
|------------------------------------|--------|
| maximum working pressure at 20 ° C | 16 bar |
|------------------------------------|--------|

Product information

| | |
|---------------------|---------------------------------|
| VPE1 | 1,00 SA1 |
| VPE2 | 3,00 KT1 |
| weight | 1,567 KGM |
| text | KELOX-ULTRAX adapter tee female |
| INTRNR | 74122000 |
| main material group | KELOX |
| material group | KELOX-ULTRAX metal fittings |
| code | KMU447 |



| Art. No | label | d2 Inches | d1 mm | d3 mm | L1 mm | L2 mm | L3 mm | z1 mm | z2 mm | z3 mm | slw1 mm |
|----------|-------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|---------|
| 71240J0! | 75x1" | 1" | 75 | 75 | 97 | 48 | 97 | 33 | 31 | 33 | 41 |