

# STEEL FIX C-STAHl

CP455V KELIT VITON spare seal for Steelfix and Copperfix system parts 22x1"

54703D052


## Areas of application



VITON replacement seal (FKM), highly temperature-resistant up to 200°C, for installations for compressed air, heating oil, vegetable oils, fuels, lubricants and industrial substances. Not suitable for hot water applications! For Steelfix press-system parts CP451, NP451, CP455, NP455 and CP466 and Copperfix press-system parts COF455 and COF456

# Specifications

| Product information |  |
|---------------------|--|
| VPE1                | 20,00 SA1  |
| VPE2                | 500,00 KT1   |
| weight              | 0,008 KGM  |
| text                | KELIT VITON spare seal for Steelfix and Copperfix system parts |
| INTRNR              | 40169300   |
| main material group | STEELFIX   |
| material group      | C-STAHl pressfittings  |
| code                | CP455V   |




**di**



**d**



**KE KELIT GmbH**  
A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe  
**PHONE** +43 (0) 50 779 **E-MAIL** office@kekelit.com  
www.kekelit.com



| Art. No   | label |
|-----------|-------|
| 54703D052 | 22x1" |



**KE KELIT GmbH**  
A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe  
**PHONE** +43 (0) 50 779 **E-MAIL** [office@kekelit.com](mailto:office@kekelit.com)  
[www.kekelit.com](http://www.kekelit.com)