

# KETRIX

## TRI35 KETRIX reducer-tee 75/63/75

55114JIJ

### Areas of application



KETRIX polyfusion weld fitting for connecting POB pipes to fittings made of the same material without narrowing the cross section

# Specifications

## Article information

|           |                        |
|-----------|------------------------|
| port 1    | Plastic welding socket |
| port 2    | Plastic welding socket |
| port 3    | Plastic welding socket |
| execution | T-piece                |
| angle     | 90 °                   |

## Technical properties

|                                    |        |
|------------------------------------|--------|
| maximum working pressure at 20 ° C | 16 bar |
|------------------------------------|--------|

## Product information

|                     |                         |
|---------------------|-------------------------|
| VPE1                | 1,00 SA1                |
| VPE2                | 5,00 KT1                |
| VPE3                | 30,00 KT2               |
| VPE4                | 480,00 PAL              |
| weight              | 0,600 KGM               |
| text                | KETRIX reducer-tee      |
| INTRNR              | 39174000                |
| main material group | KETRIX                  |
| material group      | KETRIX plastic fittings |
| code                | TRI35                   |



| Art. No  | label    | d1 mm | d2 mm | d3 mm | L1 mm | L2 mm | L3 mm | z1 mm | z2 mm | z3 mm |
|----------|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 55114JIJ | 75/63/75 | 75    | 63    | 75    | 69    | 68    | 69    | 38    | 40    | 38    |