

# KELOX

## KMP435X KELOX-PROTEC CLIX skirting board connecting set 25x1/2"x25

730155EE2

### Areas of application



Skirting board radiator connecting set with PROTEC press-fit adapters; made of non-porous metallised brass, incl. push-on sleeve made of transparent polyamide with an insertion click sound, as well as haptic and optical insertion indicator, O-rings, withdrawal barriers and a protector ring as an insertion locking device with 1/2" male thread radiator connections

## Approvals:



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

**PHONE** +43 (0) 50 779 **E-MAIL** [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

# Specifications

## Article information

|           |                |
|-----------|----------------|
| port 1    | Plug-in sleeve |
| port 2    | Plug-in sleeve |
| execution | Miscellaneous  |

## Product information

|                     |   |
|---------------------|---|
| VPE1                | 1,00 SA1  |
| VPE2                | 10,00 KT1                                       |
| weight              | 0,938 KGM                                       |
| text                | KELOX-PROTEC CLIX skirting board connecting set |
| INTRNR              | 74122000  |
| main material group | KELOX   |
| material group      | KELOX-PROtec pushfittings                       |
| code                | KMP435X   |



| Art. No | label  | d5<br>Inche  | d6<br>Inche  | d1<br>mm | d2<br>mm | d3<br>mm | d4<br>mm | L1<br>mm | L2<br>mm | L3<br>mm | L4<br>mm | z1<br>mm | z2<br>mm | z3<br>mm | z4<br>mm | h<br>mm |
|---------|--------|--------------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---------|
| 7301€   | 25x1/1 | 1/2"<br>(15) | 1/2"<br>(15) | 25       | 25       | 25       | 25       | 50       | 105      | 105      | 50       | 10       | 65       | 65       | 10       | 95      |