


# KELEN

## KE30 KELEN PP-RCT equal tee 32

2562501

### Areas of application



KELEN PP-RCT Polyfusion welding fitting for connecting pipes with fittings made of the same material (no reduction of internal diameter)

### Approvals:



# Specifications

## Article information

|           |                        |
|-----------|------------------------|
| port 1    | Kunststoffschweißmuffe |
| port 2    | Kunststoffschweißmuffe |
| port 3    | Kunststoffschweißmuffe |
| execution | T-Stück                |
| angle     | 90 °                   |

## Technical properties

|                                    |        |
|------------------------------------|--------|
| maximum working pressure at 20 ° C | 20 bar |
|------------------------------------|--------|

## Product information

|                     |                        |
|---------------------|------------------------|
| VPE1                | 5 SA1                  |
| VPE2                | 30 KT1                 |
| VPE3                | 180 KT2                |
| VPE4                | 2880 PAL               |
| weight              | 0,079 KGM              |
| text                | KELEN PP-RCT equal tee |
| INTRNR              | 39174000               |
| main material group | KELEN                  |
| material group      | KELEN plastic fittings |
| code                | KE30                   |



| Art. No | label | d1 mm | d2 mm | d3 mm | L1 mm | L2 mm | L3 mm | z1 mm | z2 mm | z3 mm |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 2562501 | 32    | 32    | 32    | 32    | 42    | 42    | 42    | 17    | 17    | 17    |