

KELEN

KE30 KELEN PP-RCT equal tee 40

2563001

Areas of application



KELEN PP-RCT Polyfusion welding fitting for connecting pipes with fittings made of the same material (no reduction of internal diameter)

Approvals:



Specifications

Article information


| | |
|-----------|------------------------|
| port 1 | Kunststoffschweißmuffe |
| port 2 | Kunststoffschweißmuffe |
| port 3 | Kunststoffschweißmuffe |
| execution | T-Stück |
| angle | 90 ° |

Technical properties

| | |
|------------------------------------|--------|
| maximum working pressure at 20 ° C | 20 bar |
|------------------------------------|--------|

Product information

| | |
|---------------------|------------------------|
| VPE1 | 5 SA1 |
| VPE2 | 20 KT1 |
| VPE3 | 120 KT2 |
| VPE4 | 1920 PAL |
| weight | 0,117 KGM |
| text | KELEN PP-RCT equal tee |
| INTRNR | 39174000 |
| main material group | KELEN |
| material group | KELEN plastic fittings |
| code | KE30 |



| Art. No | label | d1 mm | d2 mm | d3 mm | L1 mm | L2 mm | L3 mm | z1 mm | z2 mm | z3 mm |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 2563001 | 40 | 40 | 40 | 40 | 47 | 47 | 47 | 22 | 22 | 22 |