

# KELEN

## KE35 KELEN PP-RCT reducer tee 50/20/50

2577001

### Areas of application



KELEN PP-RCT Polyfusion welding fitting for connecting pipes with fittings made of the same material (no reduction of internal diameter)

### Approvals:



# Specifications

## Article information

|           |                        |
|-----------|------------------------|
| port 1    | Kunststoffschweißmuffe |
| port 2    | Kunststoffschweißmuffe |
| port 3    | Kunststoffschweißmuffe |
| execution | T-Stück                |
| angle     | 90 °                   |

## Technical properties

|                                    |        |
|------------------------------------|--------|
| maximum working pressure at 20 ° C | 20 bar |
|------------------------------------|--------|

## Product information

|                     |                          |
|---------------------|--------------------------|
| VPE1                | 2,00 SA1                 |
| VPE2                | 14,00 KT1                |
| VPE3                | 84,00 KT2                |
| VPE4                | 1344,00 PAL              |
| weight              | 0,198 KGM                |
| text                | KELEN PP-RCT reducer tee |
| INTRNR              | 39174000                 |
| main material group | KELEN                    |
| material group      | KELEN plastic fittings   |
| code                | KE35                     |



| Art. No | label    | d1 mm | d2 mm | d3 mm | L1 mm | L2 mm | L3 mm | z1 mm | z2 mm | z3 mm |
|---------|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 2577001 | 50/20/50 | 50    | 20    | 50    | 51    | 40    | 51    | 27    | 24    | 27    |