

KELEN

KE35 KELEN PP-RCT reducer tee 63/40/63

2578001

Areas of application



KELEN PP-RCT Polyfusion welding fitting for connecting pipes with fittings made of the same material (no reduction of internal diameter)

Approvals:



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 E-MAIL office@kekelit.com

www.kekelit.com

Specifications

Article information


| | |
|-----------|------------------------|
| port 1 | Kunststoffschweißmuffe |
| port 2 | Kunststoffschweißmuffe |
| port 3 | Kunststoffschweißmuffe |
| execution | T-Stück |
| angle | 90 ° |

Technical properties

| | |
|------------------------------------|--------|
| maximum working pressure at 20 ° C | 20 bar |
|------------------------------------|--------|

Product information

| | |
|---------------------|--------------------------|
| VPE1 | 1 SA1 |
| VPE2 | 7 KT1 |
| VPE3 | 42 KT2 |
| VPE4 | 672 PAL |
| weight | 0,393 KGM |
| text | KELEN PP-RCT reducer tee |
| INTRNR | 39174000 |
| main material group | KELEN |
| material group | KELEN plastic fittings |
| code | KE35 |



| Art. No | label | d1 mm | d2 mm | d3 mm | L1 mm | L2 mm | L3 mm | z1 mm | z2 mm | z3 mm |
|---------|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 2578001 | 63/40/63 | 63 | 40 | 63 | 64 | 57 | 64 | 34 | 31 | 34 |