


# KELOX<sub>FB</sub>

KM696H KELOX Comfort room thermostat, digital  
86x86x31mm

5882060

## Areas of application



Surface-mount room thermostat with backlit display for controlling 1 to 5 230V thermal motors (maximum of 3 W per thermal motor), for heating and cooling with changeover input

Operating voltage: 230V AC 50 Hz

Hysteresis: +/- 0.5 K at 17-24°C

Contact: 1 NCC

Setting range: 5°C - 30°C

Protection type/class: IP 20

Size: 86x86x31mm

Colour: white (RAL 9003)



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 E-MAIL [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

Compatible with KM691 connection unit!

ATTENTION: Only in conjunction with KM596 KELOX thermal motor 230V!



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

**PHONE** +43 (0) 50 779 **E-MAIL** [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

# Specifications

| Product information |  |
|---------------------|--|
| VPE1                | 1,00 KT1                               |
| weight              | 0,830 KGM                              |
| text                | KELOX Comfort room thermostat, digital |
| INTRNR              | 90321020                               |
| code                | KM696H                                 |

| Art. No | label      |
|---------|------------|
| 5882060 | 86x86x31mm |