

KELEN

KE33 KELEN PP-RCT tee with branch female 25x1/2"

2634001

Areas of application



KELEN PP-RCT Polyfusion welding fitting for connecting pipes with fittings made of the same material (no reduction of internal diameter), with injected male thread made of dezincification-resistant brass, non-porous metal plating, threads conform to ÖNORM EN 10226

System parts marked with an "S" are produced with a wrench attachment connection

Do NOT connect to threaded pipes or to cast iron fittings!

Approvals:



Specifications

Article information


| | |
|-----------|----------------------------|
| port 1 | Kunststoffschweißmuffe |
| port 2 | Innengewinde konisch (NPT) |
| port 3 | Kunststoffschweißmuffe |
| execution | T-Stück |
| angle | 90 ° |

Technical properties

| | |
|------------------------------------|--------|
| maximum working pressure at 20 ° C | 20 bar |
|------------------------------------|--------|

Product information

| | |
|---------------------|-------------------------------------|
| VPE1 | 10,00 SA1 |
| VPE2 | 50,00 KT1 |
| VPE3 | 200,00 KT2 |
| VPE4 | 4800,00 PAL |
| weight | 0,104 KGM |
| text | KELEN PP-RCT tee with branch female |
| INTRNR | 39174000 |
| main material group | KELEN |
| material group | KELEN metal fittings |
| code | KE33 |



| Art. No | label | d2 | d1 mm | d3 mm | L1 mm | L2 mm | L3 mm | z1 mm | z2 mm | z3 mm |
|---------|---------|--------------|-------|-------|-------|-------|-------|-------|-------|-------|
| 2634001 | 25x1/2" | 1/2" (15) | 25 | 25 | 33 | 45 | 33 | 13 | 20 | 13 |