

# STEEL FIX C-STAHL

CF100 STEELFIX carbon steel pipe 35x1.5

54001F00

## Areas of application



?Thin-walled, longitudinally welded stainless steel pipes according to EN 10305-3 with particularly low carbon content and with the outside protected by a thermally applied zinc layer and a passivating/chromium layer

Application area: Closed heating circuits, closed cooling circuits (observe corrosion protection measures!)

Operating temperature: - 35°C to 120°C - tmax 150°C/16 bar - briefly

Rod length: 6m

# Specifications

## Technical properties

pipe weight 1,24 kg/m

pipe contents 0,804 l/m

## Product information

VPE1 180,00 BND

L 6 m

weight 1,240 KGM

text STEELFIX carbon steel pipe

INTRNR 73065080

main material group STEELFIX

material group C-STAHl pipes

code CF100



Art. No	label	d	d1 mm	pipe contents l/m	s mm
54001F00	35x1.5	32	35	0,804	1,5



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

**PHONE** +43 (0) 50 779 **E-MAIL** [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)