


STEEL FIX C-STAHL

CF100 STEELFIX carbon steel pipe 66.7x1.5

54001100

Areas of application



?Thin-walled, longitudinally welded stainless steel pipes according to EN 10305-3 with particularly low carbon content and with the outside protected by a thermally applied zinc layer and a passivating/chromium layer

Application area: Closed heating circuits, closed cooling circuits (observe corrosion protection measures!)

Operating temperature: - 35°C to 120°C - tmax 150°C/16 bar - briefly

Rod length: 6m

Specifications

Technical properties

pipe weight 2,41 kg/m

pipe contents 3,187 l/m

Product information

VPE1 228,00 BND

L 6 m

weight 2,400 KGM


text STEELFIX carbon steel pipe

INTRNR 73065080

main material group STEELFIX

material group C-STAHl pipes

code CF100



| Art. No | label | d | d1 mm | pipe contents l/m | s mm |
|----------|----------|------|-------|----------------------|------|
| 54001100 | 66.7x1.5 | 63,7 | 66,7 | 3,187 | 1,5 |



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 **E-MAIL** office@kekelit.com

www.kekelit.com