

STEEL FIX C-STAHl

CP455V KELIT VITON spare seal for Steelfix and Copperfix system parts 42x1 3/4"

54703G082

Areas of application



VITON replacement seal (FKM), highly temperature-resistant up to 200°C, for installations for compressed air, heating oil, vegetable oils, fuels, lubricants and industrial substances. Not suitable for hot water applications! For Steelfix press-system parts CP451, NP451, CP455, NP455 and CP466 and Copperfix press-system parts COF455 and COF456

Specifications

Product information	
VPE1	20,00 SA1
VPE2	300,00 KT1
weight	0,009 KGM
text	KELIT VITON spare seal for Steelfix and Copperfix system parts
INTRNR	40169300
main material group	STEELFIX
material group	C-STAHl pressfittings
code	CP455V



di



d



KE KELIT GmbH
A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe
PHONE +43 (0) 50 779 **E-MAIL** office@kekelit.com
www.kekelit.com



Art. No	label
54703G082	42x1 3/4"



KE KELIT GmbH
A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe
PHONE +43 (0) 50 779 **E-MAIL** office@kekelit.com
www.kekelit.com