

STEEL FIX C-STAHL

CP467 C-Steel press-elbow adaptor 90° female
15x1/2"

54716B02

Areas of application



Press-fit elbow adaptor 90° with female thread made of carbon steel coated with a zinc layer, incl. EPDM sealing components, d15-54 "leak before pressed"

Press contour: M

Specifications

Article information

| | |
|---------------|---|
| port 1 | Pressmuffe |
| port 2 | Innengewinde zylindrisch BSPT-Rp (ISO 7-1 / EN 10226-1) |
| execution | 1-teilig |
| design | Bogen |
| angle | 90 ° |
| press contour | M |

Technical properties

| | |
|------------------------------------|--------|
| maximum working pressure at 20 ° C | 16 bar |
|------------------------------------|--------|

Product information

| | |
|---------------------|--|
| VPE1 | 10 SA1 |
| VPE2 | 100 KT1 |
| VPE3 | 2500 DDP |
| weight | 0,07 KGM |
| text | C-Steel press-elbow adaptor 90° female |
| INTRNR | 73079980 |
| main material group | STEELFIX |
| material group | C-STAHL pressfittings |
| code | CP467 |



| Art. No | label | d2 | d1 mm | L1 mm | L2 mm | z1 mm | z2 mm | slw2 mm |
|----------|---------|------------------|-------|-------|-------|-------|-------|---------|
| 54716B02 | 15x1/2" | 1/2 Zoll (15) | 15 | 41 | 48 | 21 | 33 | 24 |