


STEEL FIX C-STAHL

CP486 C-Steel press-adaptor flange PN10/16 35-DN32 4-hole

54755F00

Areas of application



Press-fit adaptor flange, flat-sealing made of carbon steel coated with a zinc layer, incl. EPDM sealing components, d15-54 "leak before pressed"

hole circle dimensioning conforming to DIN 2501-PN16

Press contour: M

Specifications

Article information


| | |
|---------------|------------|
| port 1 | Pressmuffe |
| port 2 | Flansch |
| execution | 1-teilig |
| design | gerade |
| press contour | M |

Technical properties

| | |
|----|-------|
| PN | PN 16 |
|----|-------|

Product information

| | |
|---------------------|--------------------------------------|
| VPE1 | 1 SA1 |
| VPE2 | 6 KT1 |
| weight | 1,7 KGM |
| text | C-Steel press-adaptor flange PN10/16 |
| INTRNR | 73079980 |
| main material group | STEELFIX |
| material group | C-STAHL pressfittings |
| code | CP486 |



| Art. No | label | d2 | d1 mm | L1 mm | z1 mm | number of holes | pitch circle diameter mm |
|----------|----------------|------|-------|-------|-------|-----------------|--------------------------|
| 54755F00 | 35-DN32 4-hole | DN32 | 35 | 52 | 26 | 4 | 100 |