

# STEEL FIX EDELSTAHL

NP451 STEELFIX stainless steel press-fit union  
with male thread 18x1/2"

53741C02

## Areas of application



Press-union with male thread conforming to EN 10226-1 made of stainless steel 1.4404, incl. EPDM sealing elements, d15-54 "leak before pressed"

Press contour: M

## Approvals:



# Specifications

## Article information

|               |  |
|---------------|--|
| port 1        | Pressmuffe   |
| port 2        | Außengewinde konisch BSPT-R (ISO 7-1 / EN 10226-1) |
| execution     | 1-part   |
| design        | gerade   |
| press contour | M  |

## Product information

|                |   |
|----------------|---|
| VPE1           | 2,00 SA1  |
| VPE2           | 50,00 KT1   |
| VPE3           | 1250,00 DDP   |
| weight         | 0,169 KGM   |
| text           | STEELFIX stainless steel press-fit union with male thread |
| INTRNR         | 73072980  |
| material group | EDELSTAHL pressfittings                                   |
| code           | NP451   |



| Art. No  | label   | d2<br>Inches | d1 mm | L1 mm | L2 mm | z1 mm | slw1 mm | slw2 mm |
|----------|---------|--------------|-------|-------|-------|-------|---------|---------|
| 53741C02 | 18x1/2" | 1/2" (15)    | 18    | 29    | 33    | 9     | 30      | 25      |