


STEEL FIX EDELSTAHL

NP466 STEELFIX stainless steel press-fit union with female thread 15x1/2"

53742B02

Areas of application



Press-fit union with female thread conforming to EN 10226-1 made of stainless steel 1.4404, incl. EPDM sealing elements, d15-54 "leak before pressed"

Press contour: M

Approvals:




Specifications

Article information

| | |
|---------------|---|
| port 1 | Pressmuffe |
| port 2 | Innengewinde zylindrisch BSPT-Rp (ISO 7-1 / EN 10226-1) |
| execution | 1-part |
| design | gerade |
| press contour | M |

Product information

| | |
|----------------|---|
| VPE1 | 2,00 SA1 |
| VPE2 | 60,00 KT1 |
| weight | 0,100 KGM |
| text | STEELFIX stainless steel press-fit union with female thread |
| INTRNR | 73072980 |
| material group | EDELSTAHL pressfittings |
| code | NP466 |



| Art. No | label | d2 Inches | d1 mm | L1 mm | L2 mm | z1 mm | z2 mm | slw1 mm | slw2 mm |
|----------|---------|--------------|-------|-------|-------|-------|-------|------------|------------|
| 53742B02 | 15x1/2" | 1/2" (15) | 15 | 29 | 28 | 9 | 18 | 30 | 24 |