


COPPER FIX

COF411 COPPERFIX copper press-fit reduction nipple male/female 108/54

52601LH0

Areas of application



Press-fit reducing nipple f/m straight made of copper, incl. EPDM sealing elements, "leak before pressed"

Press contour: M

Approvals:



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 E-MAIL office@kekelit.com

www.kekelit.com


Specifications

Article information

| | |
|---------------|------------|
| port 1 | Pressmuffe |
| port 2 | Pressmuffe |
| execution | 1-part |
| design | gerade |
| press contour | M |

Product information

| | |
|---------------------|---|
| VPE1 | 1,00 SA1 |
| VPE2 | 12,00 KT1 |
| weight | 0,835 KGM |
| text | COPPERFIX copper press-fit reduction nipple male/female |
| INTRNR | 74122000 |
| main material group | COPPERFIX |
| material group | KUPFER pressfittings |
| code | COF411 |



| Art. No | label | d1 mm | d2 mm | L1 mm | L2 mm | z1 mm | z2 mm |
|----------|--------|-------|-------|-------|-------|-------|-------|
| 52601LH0 | 108/54 | 54 | 108 | 54 | 102 | 20 | 35 |