


COPPER FIX

COF457 COPPERFIX copper press-adapter
female 28x3/4"

52706E04

Areas of application



Press-adapter with female thread conforming to EN 10226-1 made of red brass, incl. EPDM sealing elements, "leak before pressed"

Press contour: M

Approvals:



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 E-MAIL office@kekelit.com

www.kekelit.com


Specifications

Article information

| | |
|---------------|---|
| port 1 | Pressmuffe |
| port 2 | Innengewinde zylindrisch BSPT-Rp (ISO 7-1 / EN 10226-1) |
| design | gerade |
| press contour | M |

Product information

| | |
|---------------------|---------------------------------------|
| VPE1 | 5,00 SA1 |
| VPE2 | 50,00 KT1 |
| weight | 0,131 KGM |
| text | COPPERFIX copper press-adapter female |
| INTRNR | 74122000 |
| main material group | COPPERFIX |
| material group | KUPFER pressfittings |
| code | COF457 |



| Art. No | label | d2 | d1 mm | L1 mm | L2 mm | z1 mm | z2 mm | slw2 mm |
|----------|---------|------------------|-------|-------|-------|-------|-------|---------|
| 52706E04 | 28x3/4" | 3/4 Zoll (20) | 28 | 23 | 22 | 3 | 10 | 37 |