


# KETRIX

## TRI30 KETRIX equal tee 75

55110JJJ

### Areas of application



KETRIX polyfusion weld fitting for connecting POB pipes to fittings made of the same material without narrowing the cross section

# Specifications

## Article information

|           |                        |
|-----------|------------------------|
| port 1    | Plastic welding socket |
| port 2    | Plastic welding socket |
| port 3    | Plastic welding socket |
| execution | T-piece                |
| angle     | 90 °                   |

## Technical properties

|                                    |        |
|------------------------------------|--------|
| maximum working pressure at 20 ° C | 16 bar |
|------------------------------------|--------|

## Product information

|                     |                         |
|---------------------|-------------------------|
| VPE1                | 1,00 SA1                |
| VPE2                | 3,00 KT1                |
| VPE3                | 18,00 KT2               |
| VPE4                | 288,00 PAL              |
| weight              | 0,615 KGM               |
| text                | KETRIX equal tee        |
| INTRNR              | 39174000                |
| main material group | KETRIX                  |
| material group      | KETRIX plastic fittings |
| code                | TRI30                   |



| Art. No  | label | d1 mm | d2 mm | d3 mm | L1 mm | L2 mm | L3 mm | z1 mm | z2 mm | z3 mm |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 55110JJJ | 75    | 75    | 75    | 75    | 73    | 73    | 73    | 42    | 42    | 42    |