


# KELOX

## KMP430X KELOX-PROTEC CLIX radiator connection elbow 90° 16/330

730150B02

### Areas of application



?Radiator connecting pipe made from semi-rigid nickel-plated copper d15, with 90° plug-in adapter bracket, made of non-porous metallised brass, including support sleeves, with insertion click noise, as well as haptic and optical insertion indicator, O-rings, withdrawal barriers and a protector ring as an insertion locking device

ATTENTION: Follow the installation instructions of the screw fitting manufacturer and if necessary use support sleeves for copper connections!

## Approvals:



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

**PHONE** +43 (0) 50 779 **E-MAIL** [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

# Specifications

## Article information


port 1	Plug-in
port 2	Miscellaneous
execution	Miscellaneous
design	Knee
angle	90 °

## Technical properties

maximum working pressure at 20 ° C	10 bar
------------------------------------	--------

## Product information

VPE1	1,00 SA1
VPE2	20,00 KT1
weight	0,169 KGM
text	KELOX-PROTEC CLIX radiator connection elbow 90°
INTRNR	74122000
main material group	KELOX
material group	KELOX-PROtec pushfittings
code	KMP430X



Art. No	label	d1 mm	d2 mm	L1 mm	L2 mm	z1 mm
730150B02	16/330	16	15	47	330	13,5