


KELOX

KMP430 KELOX-PROTEC radiator elbow 90° 16/330

73150B02

Areas of application



Radiator connecting pipe made from semi-rigid nickel-plated copper d15, with 90° plug-in adapter bracket, made of non-porous metallised brass, including support sleeves, O-rings, withdrawal barriers and a protector ring as an insertion locking device

ATTENTION: Follow the installation instructions of the screw fitting manufacturer and if necessary use support sleeves for copper connections!

Approvals:



Specifications

Article information


| | |
|-----------|---------------|
| port 1 | Plug-in |
| port 2 | Miscellaneous |
| execution | Miscellaneous |
| design | Knee |
| angle | 90 ° |

Technical properties

| | |
|------------------------------------|--------|
| maximum working pressure at 20 ° C | 10 bar |
|------------------------------------|--------|

Product information

| | |
|---------------------|---------------------------------|
| VPE1 | 1,00 SA1 |
| VPE2 | 20,00 KT1 |
| weight | 0,091 KGM |
| text | KELOX-PROTEC radiator elbow 90° |
| INTRNR | 74122000 |
| main material group | KELOX |
| material group | KELOX-PROtec pushfittings |
| code | KMP430 |



| Art. No | label | d1 mm | d2 mm | L1 mm | L2 mm | z1 mm |
|----------|--------|-------|-------|-------|-------|-------|
| 73150B02 | 16/330 | 16 | 15 | 47 | 330 | 13,5 |