


KELOX_{FB}

KM576 KELOX UP manifold cabinet with metal cover 5-8 L: 750mm SET

9003300

Areas of application



Galvanised universal steel housing (1mm); can be connected from below or at the side, height-adjustable with special length up to 32cm raised floor, plaster trim element below cabinet, including plaster net and plaster protection for inside the cabinet protruding on the plaster trim element, including manifold brackets, galvanised lockable front doors and frame, powder-coated.

Space for straight or 90° connection sets KM593E as well as KM591E elbow. Number of manifold outlets matched to KMU590E, KMP590E, KMP590Z and KMP590D FB manifolds!

Colour: white (RAL 9016)

Cabinet depth: 75mm

Optional stacking frame to increase installation depth by 70mm for compatibility with KU590E too



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 E-MAIL office@kekelit.com

www.kekelit.com

Optional modesty panel, white as later replacement for plaster trim element, height, 85mm

Installation depth: 630mm above finished floor



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 **E-MAIL** office@kekelit.com

www.kekelit.com

Specifications

Article information

colour	9016
---------------	------

Product information

VPE1	1,00 KT1
-------------	----------


VPE2	10,00 PAL
-------------	-----------

weight	12,200 KGM
---------------	------------

text	KELOX UP manifold cabinet with metal cover
-------------	--

INTRNR	84818099
---------------	----------

code	KM576
-------------	-------



Art. No	label	t mm
9003300	5-8 L: 750mm SET	78