


# KELOX<sub>FB</sub>

## KM576 KELOX UP manifold cabinet with metal cover 13-15 L: 1350mm SET

9003500

### Areas of application



Galvanised universal steel housing (1mm); can be connected from below or at the side, height-adjustable with special length up to 32cm raised floor, plaster trim element below cabinet, including plaster net and plaster protection for inside the cabinet protruding on the plaster trim element, including manifold brackets, galvanised lockable front doors and frame, powder-coated.

Space for straight or 90° connection sets KM593E as well as KM591E elbow. Number of manifold outlets matched to KMU590E, KMP590E, KMP590Z and KMP590D FB manifolds!

Colour: white (RAL 9016)

Cabinet depth: 75mm

Optional stacking frame to increase installation depth by 70mm for compatibility with KU590E too



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 E-MAIL [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

Optional modesty panel, white as later replacement for plaster trim element, height, 85mm  
Installation depth: 630mm above finished floor



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

**PHONE** +43 (0) 50 779 **E-MAIL** [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

# Specifications

## Article information

**colour** 9016

## Product information

**VPE1** 1,00 KT1


**VPE2** 10,00 PAL

**weight** 19,700 KGM

**text** KELOX UP manifold cabinet with metal cover

**INTRNR** 84818099

**code** KM576



Art. No	label	t mm
9003500	13-15 L: 1350mm SET	78