


# KELOX<sup>FB</sup>

KM576 KELOX flush-mounted manifold cabinet  
with metal cover 13-15 L: 1350mm SET

9003500

## Areas of application



?Galvanised universal sheet metal cabinet (1mm), can be connected from below or at the side, height-adjustable feet with special length up to 32cm raised floor, plaster trim element below cabinet, including plaster net and plaster protection for inside the cabinet protruding on the plaster trim element, including manifold brackets, galvanised lockable front doors and frame, powder-coated. Space for straight or 90° connection sets KM593E. Number of manifold outlets matched to KMU590E, KMP590E, KMP590Z and KMP590D FB stainless steel manifolds!

Colour: white (RAL 9016)

Cabinet depth: 75mm

Installation height: 630mm above finished floor



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

**PHONE** +43 (0) 50 779 **E-MAIL** [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

# Specifications

## Article information

**colour** 9016

## Product information

**VPE1** 1,00 KT1


**VPE2** 10,00 PAL

**weight** 19,700 KGM

**text** KELOX flush-mounted manifold cabinet with metal cover

**INTRNR** 84818099

**code** KM576



| Art. No | label               | t mm |
|---------|---------------------|------|
| 9003500 | 13-15 L: 1350mm SET | 78   |