


# KELOX<sub>FB</sub>

KM690A KELOX room thermostat, analogue,  
covered 86x86x26mm

5881110

## Areas of application



Surface-mount room thermostat with covered controller for controlling 1 to 10 230V thermal motors  
(maximum of 3 W per thermal motor)

Operating voltage: 230V AC 50 Hz

Hysteresis: +/- 0.5 K

Contact: 1 NCC

Setting range: 10°C - 28°C

Protection type/class: IP 20

Size: 86x86x26 mm

Colour: white (RAL 9003)



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 E-MAIL [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

Compatible with KM691 connection unit!

ATTENTION: Only in conjunction with KM596 KELOX thermal motor 230V!



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

**PHONE** +43 (0) 50 779 **E-MAIL** [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

# Specifications

Product information	
VPE1	1,00 KT1
VPE2	54,00 KT2
weight	0,090 KGM
text	KELOX room thermostat, analogue, covered
INTRNR	90321020
code	KM690A

Art. No	label
5881110	86x86x26mm