


# KELOX

## KMP420X KELOX-PROTEC CLIX elbow 90° 25

730103EE0

### Areas of application



Plug-in elbow 90° for changing direction with a minimal radius, made of dezincification-resistant brass (DZR), including support sleeves with insertion click noise, as well as haptic and optical insertion indicator, O-rings, withdrawal barriers and protector ring as insertion locking device

### Approvals:



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 E-MAIL [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

# Specifications

## Article information

|           |               |
|-----------|---------------|
| port 1    | Plug-in       |
| port 2    | Plug-in       |
| execution | Miscellaneous |
| design    | Knee          |
| angle     | 90 °          |

## Technical properties

|                                    |        |
|------------------------------------|--------|
| maximum working pressure at 20 ° C | 10 bar |
|------------------------------------|--------|

## Product information

|                     |                             |
|---------------------|-----------------------------|
| VPE1                | 10,00 SA1                   |
| VPE2                | 70,00 KT1                   |
| weight              | 0,158 KGM                   |
| text                | KELOX-PROTEC CLIX elbow 90° |
| INTRNR              | 74122000                    |
| main material group | KELOX                       |
| material group      | KELOX-PROtec pushfittings   |
| code                | KMP420X                     |



| Art. No   | label | d1 mm | d2 mm | L1 mm | L2 mm | z1 mm | z2 mm |
|-----------|-------|-------|-------|-------|-------|-------|-------|
| 730103EE0 | 25    | 25    | 25    | 59    | 59    | 20    | 20    |