


COPPER FIX

COF426 COPPERFIX copper press-elbow 45°
male/female 28

52621EE0

Areas of application



Press-elbow 45°, female/male, made of copper, incl. EPDM sealing components, "leak before pressed"

Press contour: M

Approvals:



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 E-MAIL office@kekelit.com

www.kekelit.com


Specifications

Article information

| | |
|---------------|------------|
| port 1 | Pressmuffe |
| port 2 | Pressmuffe |
| execution | 1-part |
| design | Bogen |
| angle | 45 ° |
| press contour | M |

Product information

| | |
|---------------------|--|
| VPE1 | 5,00 SA1 |
| VPE2 | 50,00 KT1 |
| weight | 0,094 KGM |
| text | COPPERFIX copper press-elbow 45° male/female |
| INTRNR | 74122000 |
| main material group | COPPERFIX |
| material group | KUPFER pressfittings |
| code | COF426 |



| Art. No | label | d1 mm | d2 mm | L1 mm | L2 mm | z1 mm | z2 mm |
|----------|-------|-------|-------|-------|-------|-------|-------|
| 52621EE0 | 28 | 28 | 28 | 37 | 47 | 14 | 24 |