


KETRIX

TRI30 KETRIX equal tee 20

55110DDD

Areas of application



KETRIX polyfusion weld fitting for connecting POB pipes to fittings made of the same material without narrowing the cross section

Specifications

Article information

| | |
|-----------|------------------------|
| port 1 | Plastic welding socket |
| port 2 | Plastic welding socket |
| port 3 | Plastic welding socket |
| execution | T-piece |
| angle | 90 ° |

Technical properties

| | |
|------------------------------------|--------|
| maximum working pressure at 20 ° C | 16 bar |
|------------------------------------|--------|

Product information

| | |
|---------------------|-------------------------|
| VPE1 | 10,00 SA1 |
| VPE2 | 120,00 KT1 |
| VPE3 | 720,00 KT2 |
| VPE4 | 11520,00 PAL |
| weight | 0,022 KGM |
| text | KETRIX equal tee |
| INTRNR | 39174000 |
| main material group | KETRIX |
| material group | KETRIX plastic fittings |
| code | TRI30 |



| Art. No | label | d1 mm | d2 mm | d3 mm | L1 mm | L2 mm | L3 mm | z1 mm | z2 mm | z3 mm |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 55110DDI | 20 | 20 | 20 | 20 | 27 | 27 | 27 | 11 | 11 | 11 |