


# CLIMATE FIX

KCLC1 CLIMATEFIX ceiling cooling and heating module on construction steel grid 2.3x2.2

6355200

## Areas of application



CLIMATEFIX ceiling cooling and heating module incl. KELOX-ULTRAX composite pipes d16x2mm, oxygen-tight acc. to ÖNORM EN 21003, factory-pre-installed on galvanised construction steel grid

Pipeline spacing: 100mm

Pipeline length: approx. 10m/m<sup>2</sup>

Application area - pipe: tmax 70°C/10 bar

Application area - module: tmax 60°C

Special sizes at additional cost on request.

The modules are manufactured for the respective project - NO return possible!



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

**PHONE** +43 (0) 50 779 **E-MAIL** [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

# Specifications

| Product information |  |
|---------------------|--|
| VPE1                | 1,00 STK   |
| weight              | 17,700 KGM   |
| text                | CLIMATEFIX ceiling cooling and heating module on construction steel grid |
| INTRNR              | 73142090   |
| main material group | CLIMATEFIX   |
| material group      | CLIMATEFIX module  |
| code                | KCLC1  |

| Art. No | label   |
|---------|---------|
| 6355200 | 2.3x2.2 |