


# KELOX<sub>FB</sub>

## KM577 KELOX flush-mounted manifold cabinet with metal cover 3-6 L: 600mm SET

9001630

### Areas of application



Galvanised universal steel housing with telescopic pull-out frame; can be connected from below or at the side; height-adjustable feet; plaster trim element below cabinet, including plaster net and plaster protection for inside the cabinet protruding by 60mm on the plaster trim element; including manifold brackets, galvanised lockable front doors and frame, powder-coated, cylinder lock can be retrofitted. Space for straight or 90° connection sets KM593E as well as KM591E 90° elbow taken into account. Number of manifold outlets matched to KMU590E KMP590E KELOX-ULTRAX FB stainless steel manifolds!

Colour: white (RAL 9010)

Cabinet depth: 70 - 120mm



KE KELIT GmbH

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 E-MAIL [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

Installation height: 600mm above finished floor

Height: 90mm



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

**PHONE** +43 (0) 50 779 **E-MAIL** [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

# Specifications

## Article information

**colour** 9010

## Product information


**VPE1** 1,00 KT1

**weight** 7,100 KGM

**text** KELOX flush-mounted manifold cabinet with metal cover

**INTRNR** 84818099

**code** KM577



Art. No	label	t mm
9001630	3-6 L: 600mm SET	120