


# KELOX<sub>FB</sub>

KELOX wireless room thermostat, analogue  
86x86x26mm

5881300

## Felhasználási terület



Surface-mount wireless room thermostat as a signal transmitter to the KM695 wireless receiver bus connection unit and, in addition, to control 24V thermal motors

Power supply: 2xAAA Batteries (included)

Hysteresis: +/- 0.3 K

Setting range: 10°C - 28°C

Protection type/class: IP 20

Wireless frequency: 868 MHz

Size: 86x86x26mm

Colour: white (RAL 9003)



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

PHONE +43 (0) 50 779 E-MAIL [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

ATTENTION: Can only be operated in conjunction with the KM695 or KM695S!



**KE KELIT GmbH**

A 4020 Linz, Ignaz-Mayer-Straße 17, Austria, Europe

**PHONE** +43 (0) 50 779 **E-MAIL** [office@kekelit.com](mailto:office@kekelit.com)

[www.kekelit.com](http://www.kekelit.com)

# Specifikáció

## Termékinformációk

### Szöveg

KELOX wireless room thermostat, analogue